NOTES:

- 1. SUBSTRATE: ELEMENT A: N-LAK22 651/559 ELEMENT B: N-SF6 805/254
- 2. ROHS COMPLIANT
- 3. CENTERING TOLERANCE (AT 587.6nm): BEAM DEVIATION (HALF ANGLE): <1 ARCMIN
- 4. COATING (APPLY ACROSS COATING APERTURE)


 $\begin{array}{l} \text{S1 \& S4: NIR II} \\ \text{R(ABS)} \leq 1.5\% \text{ FROM 750 - 800nm @ 0° AOI} \\ \text{R(ABS)} \leq 1.0\% \text{ FROM 800 - 1550nm @ 0° AOI} \\ \text{R(AVG)} \leq 0.7\% \text{ FROM 750 - 1550nm @ 0° AOI} \end{array}$

S2 & S3: NONE

5 FINE GRIND SURFACE

- 6. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 7. FOCAL LENGTH (EFL): 15.00mm±1% BACK FOCAL LENGTH (BFL): 11.59mm
- 8. PROTECTIVE BEVEL AS NEEDED
- 9. DESIGN WAVELENGTH: 880nm

29 ELEMENTS TO BE CEMENTED WITH NORLAND OPTICAL ADHESIVE NOA61



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

	SPECIFICATIONS AFTER CEMENTING				SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY				
ELEMENT TITLE	ELEM	ENT A	ELEMENT B						
SURFACE	S1	\$2	\$3	S4					
SHAPE	CONVEX	CONVEX	CONCAVE	CONVEX				Edmund Optic	$\mathbf{c}^{\mathbb{R}}$
RADIUS	9.68	7.91	7.91	39.89					5
SURFACE QUALITY	40 - 20	40 - 20	40 - 20	40 - 20					
MIN CLEAR APERTURE	Ø8.10	Ø8.10	Ø8.10	Ø8.10	THIRD ANGLE PROJECTION		TITLE	9mm Dia. x 15mm FL, NIR II Coated, Achromatic Lens	
MIN COATING APERTURE	Ø8.00	N/A	N/A	Ø8.00					
POWER AT 632.8nm	3.00 RINGS	3.00 RINGS	3.00 RINGS	3.00 RINGS				45004	SHEET
IRREGULARITY AT 632.8nm	0.50 RINGS	0.50 RINGS	0.50 RINGS	0.50 RINGS	ALL DIMS IN	mm	DWG NO		1 OF 1