## NOTES:

1. SUBSTRATE MATERIAL: BOROFLOAT®


## 2. COATING (APPLY ACROSS CLEAR APERTURE)


S1: PROTECTED GOLD R(avg) >96% @ 700 - 2000 R(avg) >96% @ 2000 - 10000nm DENSITY LIMIT: 0.8 J/cm² @ 1064nm, 10ns S2: NONE

3. POWER, IRREGULARITY, SURFACE QUALITY, AND COATING SPECIFICATIONS APPLY ACROSS CLEAR APERTURE

4. FINE GROUND SURFACE

5. ROHS COMPLIANT





**SECTION A-A** 

## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

REV. A	\$1	\$2
SHAPE	CONCAVE	PLANO
EFFECTIVE FOCAL LENGTH	304.8mm	N/A
FOCAL LENGTH TOLERANCE	±2%	N/A
APERTURE	f/6	N/A
SURFACE QUALITY	60-40	60-40
SURFACE FLATNESS	λ/4	λ/4
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

