## NOTES:

 SUBSTRATE: Fused Silica

- 2. SURFACE S1 TO BE PARALLEL TO SURFACE S2 TO WITHIN <3 ARCMINS
- 3. COATING (APPLY ACROSS COATING APERTURE)


\$1: R(ABS) >99.8% @ 515nm DAMAGE THRESHOLD, PULSED: 10 J/cm² @ 515nm, 20ns, 20Hz CW: 1 MW/cm² @ 515nm


S2: NONE



- 5. CLEAR APERTURE AND COATING APERTURE ARE CENTERED ON SURFACE
- 6. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY **ACROSS CLEAR APERTURE**

ARROW ON EDGE WITH LASER ETCH, PENCIL, OR PERMANENT INK POINTS **TOWARDS SURFACE \$1** 





## PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	S2 PLANO	
SHAPE	PLANO		
SURFACE QUALITY	10-5	COMMERCIAL POLISH	
SURFACE FLATNESS	0.10 WAVE	N/A	
MIN CLEAR APERTURE	5.40 x 5.40	N/A	
MIN COATNG APERTURE	5.40 x 5.40	N/A	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	
	•		

		<b>Edmund Optics®</b>		S®
THIRD ANGLE _ PROJECTION	$\phi \lhd$	TITLE	6.35 x 6.35mm 515nm 0-45°, Yb:YAG Laser Line Mirror	
ALL DIMS IN	mm	DWG NO	39632	SHEET 1 OF 1