



NOTES:

1. SUBSTRATE MATERIAL:  
N-BK7
2. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: VIS 0° (425-675nm)  
R(AVG) ≤0.4% @ 425 - 675nm


3. FINE GROUND SURFACE

4. RoHS COMPLIANT



**FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2	EFL	25	 <b>Edmund Optics®</b>	12.7mm H X 12.7mm L X 25mm FL VIS 0°, CYLINDER LENS	
SHAPE	CONVEX	PLANO	BFL	23.02			
RADIUS	12.92	INFINITY	THIRD ANGLE PROJECTION 		TITLE	12.7mm H X 12.7mm L X 25mm FL VIS 0°, CYLINDER LENS	
SURFACE QUALITY	60-40	60-40					
CLEAR APERTURE	11.43 x 11.43	11.43 x 11.43	ALL DIMS IN	mm	DWG NO	36209	SHEET 1 OF 1
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED					