





FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	92
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	550
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	475±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	410
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66082

SHEET  
1 OF 1

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	92
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	560
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	495±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	430
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66083

SHEET  
1 OF 1

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	580
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	515±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	440
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

**Edmund Optics®**



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66085

SHEET  
1 OF 1

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING




LONGPASS FILTER





SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	600
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	530±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	460
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 **Edmund Optics®**

THIRD ANGLE PROJECTION 		TITLE	Ø50mm, Longpass Glass Color Filter	
ALL DIMS IN	mm	DWG NO	66086	SHEET 1 OF 1

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	620
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	550±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	480
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

**Edmund Optics®**



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66088

SHEET  
1 OF 1

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	640
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	570±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	500
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

**Edmund Optics®**



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66090

SHEET  
1 OF 1

**FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING**



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	93
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	660
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	590±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	510
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

**Edmund Optics®**



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66092

SHEET  
1 OF 1

FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	94
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	690
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	610±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	530
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 **Edmund Optics®**



ALL DIMS IN

mm

TITLE

Ø50mm, Longpass Glass Color Filter

DWG NO

66094

SHEET  
1 OF 1